







ROHS
Compatible



SECTION A-A(剖视图A-A)
SCALE 2:1 (比例 2:1)




MATED CONDITION(REF.)


NOTES/注释:

1. MATERIAL/材料: SEE TABLE 1 见下表
2. GENERAL SPECIFICATION/通用特性:
 - 2.1 COPLANARITY/共面度: 0.10 Max.
 - 2.2 CURRENT RATING: 5A / 额定电流: 5安培
 - 2.3 CONTACT RESISTANCE: 40mΩ MAX (INITIAL).
INSULATION RESISTANCE: 100MΩ Min
接触电阻: 40毫欧最大(初始值) / 绝缘电阻: 100MΩ Min
 - 2.4 DIELECTRIC WITHSTANDING VOLTAGE: 100 VAC
耐电压: 100伏交流
 - 2.5 MECHANICAL CHARACTERISTICS:
INSERTION FORCE: 5~20N EXTRACTION FORCE: 8~20N
AFTER DURABILITY EXTRACTION FORCE: 6~20N
力学特性: 初始插入力: 5~20N 拔出: 8~20N
耐久后拔出: 6~20N

U5	148-	24P	x	0.6J	9.17L	XX
名称	流水号	PIN位	N;母座	J;脚长	L;长度	端子镀金规格
						01=镀金1u"
						03=镀金3u"
						05=镀金5u"
						15=镀金15u"
						30=镀金30u"



MOUNTING CONDITION(REF.)




Pin定义:

A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12
GND	TX1+	TX1-	Vbus	CC1	D+	D-	SBU1	Vbus	RX2-	RX2+	GND
GND	RX1+	RX1-	Vbus	SBU2	D-	D+	CC2	Vbus	TX2-	TX2+	GND
B12	B11	B10	B9	B8	B7	B6	B5	B4	B3	B2	B1

DESIGN	Li Jinwei	SCALL			DRAWG NO.	 东莞市宏煜盛实业有限公司 Dongguan hongyusheng Industry Co., Ltd TEL: 0769-81230179 https://www.hystypec.com	
DRAWING	Wu Qifa	UNIT	mm		TOLERANCE		U5148-24PN0.6J9.17LXX
CHECK	Zheng Jinxian	SIZE	A4: 210 * 297		X.X ±0.30 X.°±2° .XX ±0.20 X.°±1° .XXX ±0.10 .XX°±0.5°		TITLE:
APPROVAL	Liu Xiaohong	DATE	2020-06-10		24P板上六脚插板双壳 锡脚0.6 9.17L		

ROHS
Compatible





Recommended PCB Layout(Top View)/推荐的PCB布局(前视图)

General Tolerances:±0.05/一般公差:±0.05

6	OUT SHELL	1	SUS304	NICKEL PLATING	0.25mm
5	INT SHELL	1	SUS304	NICKEL PLATING	0.3mm
4	MAIN HOUSING	1	PA9T HF 30%玻纤, UL94 V-0, 黑色	-	COLOR:BLACK
3	MID PLATE	1	SUS301	-	0.15mm
2	BOTTOM TERMINAL	1	C18140	MATING SIDE:SEE PART NO; SOLDER TAIL:GOLD FLASH, 30u" NICKEL OVERALL.	0.12mm
1	TOP TERMINAL	1	C18140		0.12mm
ITEM	DESCRIPTION	Q'TY	MATERIAL	FINISH	REMARK

DESIGN	Li Jinwei	SC ALL		 TOLERANCE X.X ±0.30 X.°±2° .XX ±0.20 X.° ±1° .XXX ±0.10 .XX°±0.5°	DRAWG NO.	 东莞市宏煜盛实业有限公司 Dongguan hongyusheng Industry Co., Ltd TEL: 0769-81230179 https://www.hystypec.com
DRAWING	Wu Qifa	UNIT	mm		U5148-24PN0.6J9.17LXX	
CHECK	Zheng Jinxian	SIZE	A4: 210 * 297		TITLE:	
APPROVAL	Liu Xiaohong	DATE	2020-06-10		24P板上六脚插板双壳,锡脚0.6 9.17L	

ROHS
Compatible



DESIGN	Li Jinwei	SC ALL			DRAWG NO.
DRAWING	Wu Qifa	UNIT	mm	TOLERANCE	U5148-24PN0.6J9.17LXX
CHECK	Zheng Jinxian	SIZE	A4: 210 * 297	X.X ±0.30 X.°±2°	TITLE:
APPROVAL	Liu Xiaohong	DATE	2020-06-10	.XX ±0.20 .X° ±1°	24P板上六脚插板双壳,锡脚0.6 9.17L
				.XXX ±0.10 .XX°±0.5°	

东莞市宏煜盛实业有限公司
Dongguan hongyusheng Industry Co., Ltd
TEL: 0769-81230179 <https://www.hystypec.com>