






ROHS
Compatible



RECOMMEND P.C.B LAYOUT (COMPONENT SIDE)
TOLERANCE FOR PCB LAYOUT IS ± 0.05

备注(NOTE):

1.电气特性:

1.1.接触区: 接触电阻40m Ω Max,允许10m Ω 变化量. 测试条件:20mv, 100mA下测量.

1.2.接触电流: 3A VBUS引脚; 1.25A用于GND 引脚; 其他引脚为0.25A.

1.3.额定电压: 5V.

1.4.耐电压: 100VAC.

1.5.绝缘电阻: 至少100兆欧.

2.机械性能:


3.1.插入力: 0.5-2.0Kg

3.2.拔出力: 0.6-2.04Kg


3.3.插拔次数: 10000次.

4.可焊性: 温度210-230 $^{\circ}$ C, 时间10秒.

5.工作环境: -20 $^{\circ}$ C to +85 $^{\circ}$ C.



U5 493- 06P x x 6.65L x
名称 流水号 PIN位 N;母座 W;舌头外露 L;长度 F;防水



USB TYPE C PIN ASSIGNMENTS

PIN NUMBER	SIGNAL NAME	PIN NUMBER	SIGNAL NAME
		B12	GND
		B9	VBUS
A5	CC1		
		B5	CC2
A9	VBUS		
A12	GND		

TABLE:

NO	PART	Q'TY	Material
1	SHELL	1	ZINC ALLOY, NI30u"Min PLATED
2	CONTACT	6	C2680, TIN80u"/Au1u"/NI30u" PLATED
3	1MD HOUSING	1	LCP UL94 V-0 BLACK
4	WATERPROOF RING	1	SILICONE UL94 V-0 BLACK

DESIGN	Li Jinwei	SCALL			DRAWG NO. U5493-06PNW6.65LF
DRAWING	Wu Qifa	UNIT	mm		
CHECK	Zheng Jinxian	SIZE	A4: 210 * 297		
APPROVAL	Liu Xiaohong	DATE	2020-06-10		
				TOLERANCE	
				X.X ± 0.30	X. $^{\circ}$ $\pm 2^{\circ}$
				.XX ± 0.20	.X $^{\circ}$ $\pm 1^{\circ}$
				.XXX ± 0.10	.XX $^{\circ}$ $\pm 0.5^{\circ}$

防水6P 板上后两脚插板SMT 单柱 舌头外露0.95mm 6.65L IPX7




广东宏煜盛电子科技有限公司



Guangdong Hongyusheng Electronic Technology Co., Ltd.

TEL:0752-6632356 <https://www.hystypec.com>

ROHS
Compatible



密封开孔参考尺寸(只供参考)
组装外壳时需要打环保润滑油



DESIGN	Li Jinwei	SCALL	
DRAWING	Wu Qifa	UNIT	mm
CHECK	Zheng Jinxian	SIZE	A4: 210 * 297
APPROVAL	Liu Xiaohong	DATE	2020-06-10


TOLERANCE	
X.X ±0.30	X.°±2°
.XX ±0.20	.X° ±1°
.XXX ±0.10	.XX°±0.5°

DRAWG NO.	U5493-06PNW6.65LF
TITLE:	防水6P 板上后两脚插板SMT 单柱 舌头外露0.95mm 6.65L IPX7






广东宏煜盛电子科技有限公司
Guangdong Hongyusheng Electronic Technology Co., Ltd.
TEL:0752-6632356 <https://www.hystypec.com>

ROHS
Compatible



SEE DETAIL X



	REEL	CARTON
CONNECTOR (PCS)	700	7000

DESIGN	Li Jinwei	SCALL	
DRAWING	Wu Qifa	UNIT	mm
CHECK	Zheng Jinxian	SIZE	A4: 210 * 297
APPROVAL	Liu Xiaohong	DATE	2020-06-10

TOLERANCE	
X.X ±0.30	X.° ±2°
.XX ±0.20	.X° ±1°
.XXX ±0.10	.XX° ±0.5°

DRAWG NO.

U5493-06PNW6.65LF

TITLE:

防水6P 板上后两脚插板SMT 单柱 舌头外露0.95mm 6.65L IPX7



广东宏煜盛电子科技有限公司

Guangdong Hongyusheng Electronic Technology Co., Ltd.

TEL:0752-6632356 <https://www.hystypec.com>